Engineering
Direct

Engineering
Library
T
1
.C22

SECTION F

INDEX TO VOLUME 25

Authors

Armstrong, L. D. and Dauphinee, T. M.—An apparatus for the butt-welding of fine wires, 221.

Bayley, C. H. and Weatherburn, M. W.—The effect of weathering on various rotproofing treatments applied to cotton tentage duck, 92. The rotproofing efficacy of mixtures of metallic naphthenates, 209.

Blackwood, A. C. and Ledingham, G. A.—Production and properties of 2,3-butanediol. XX. Influence of the inoculum on the *Aerobacillus polymyxa* fermentation, 180.

Bryce, W. A.—See Pearce, J. A.

Campbell, J. J. R. and Reed, G. B.—Characteristics of some psychrophylic bacteria, 280.

Chase, F. E.—The occurrence and distribution of *Salmonella* types in fowl. II. Studies of artificial *S. bareilly* and *S. oranienburg* infections in hens, 316.

Colvin, R., Craig, B. M., and Sallans, H. R.—Hygroscopic equilibria for hulls and kernels of sunflowerseed and oats, 111.

Craig, B. M.—See Colvin, R.

Crowson, N. C.—See Lips, H. J.

Dauphinee, T. M.—See Armstrong, L. D.

Eager, R. L.—See Van Cleave, A. B.

Feldman, K.—See Hushley, W.

Field, R. H.—A large cylinder and taper comparator for gauge measurement, 238.

Fromm, H. J.—See Graham, R. P.

Gibbons, N. E.—Preservation of eggs. V. Methods for determining yolk index, 18. Dried whole egg powder. XXVII. Further observations on the occurrence of *Salmonella* organisms in Canadian powder, 291.

————, Michael, R. V., and Irish, U.—Preservation of eggs. VI. Effect of various oils and oiling temperatures on the keeping quality of shell eggs stored at 70° F. and 30° F., 141.

See MacDougall, D.

Gorham, P. R.—See Lewis, J. R.

Graham, R. P. and Fromm, H. J.—The dyeing of natural cotton with direct dyes: A determination of the heat of dyeing, 303.

Grant, G. A.—See Lips, H. J.

Hay, R. L., Reid, M., and Pearce J. A.—Dried whole egg powder. XXV. Further studies on the effect of added substances, 160.

Hopkins, J. W.—Precision of assessment of palatability of foodstuffs by laboratory panels, II. Saltiness of bacon, 29.

———— and Weatherburn, M. W.—Precision of laboratory measurements of breaking strength of textiles, 264.

Hushley, W. and Feldman, K.—Portable Geiger-Müller counters, 226.

Irish, U.—See Gibbons, N. E.

Johns, C. K.—Studies comparing the sanitizing efficiencies of hypochlorites and quaternary ammonium compounds, 76.

Johnson, A. F.—Quantitative study of the Hilsch heat separator, 299.

King, R.O.—The oxidation, ignition and detonation of fuel vapors and gases. I. A reaction chamber adapted to determine the effect of antiknocks on the rapid oxidation of fuel vapor at high temperatures, 326.

Lavers, C. G.—Packaging. V. The grease resistance of some common packaging materials, 1. VI. The relative merits of various types of bag construction in producing water-vapor resistant packages, 8. VII. Waterproofing of fibreboard containers, 128.

See Pearce, J. A.

Ledingham, G. A.—See Blackwood, A. C.

Lemon, H. W.—Flavor reversion in hydrogenated linseed oil. III. The relation of isolinoleic acid to flavor deterioration, 34.

See Lips, H. J.

Lewis, J. R. and Gorham, P. R.—Antimony trichloride – ethanol precipitation for the fluorometric determination of riboflavin in pork, 133.

Lips, H. J., Crowson, N. C., and White, W. H.—Ration biscuits. IV. Effect of temperature and shortening type on keeping quality, 51.

——— and Grant, G. A.—Characteristics of Canadian lard, 63.

———, Lemon, H. W., and Grant, G. A.—Flavor reversion in hydrogenated linseed oil. IV. Further processing studies, 44.

MacDougall, D. and Gibbons, N. E.—The effect of method of cooking on the moisture content of canned pre-cooked poultry meat, 22.

Marier, J. R.—See Tessier, H.

Michael, R. V.—See Gibbons, N. E.

Mungen, R. and Sheffer, H.—The solvent extraction of crude mustard gas, 198.

Northwood, T. D.—Drill for determining thickness of ice, 196.

Pearce, J. A. and Bryce, W. A.—Dried milk powder. VII. The effect of season of production on keeping quality, 13.

———, Tessier, H., Lavers, C. G., and Thistle, M. W.—Dried whole egg powder. XXVI. Some observations on the quality of powder prepared from frozen, liquid egg, 173.

See Hay, R. L.; Tessier, H.

Pfalzner, P. M.—The friction of heated sleigh runners on ice, 192.

Pritchard, E. J. and Wright, G. F—Production of nitroguanidine with high bulk-density, 257.

Reed, G. B.—See Campbell, J. J. R.

Reid, M.—See Hay, R. L.

Rose, D.—Production and properties of 2,3-butanediol. XXII. The effect of aerobic conditions on the *Aerobacillus* fermentation, 273.

Sallans, H. R.—See Colvin, R.; Sinclair, G. D.

Sheffer, H.—See Mungen, R.

Sinclair, G. D. and Sallans, H. R.—Flash drying in relation to hulling of sunflowerseed and oats, 119.

Tessier, H., Marier, J. R., and Pearce, J. A.—Dried whole egg powder. XXIV. Some factors affecting colour, 149.
See Pearce, J. A.

Thistle, M. W.—See Pearce, J. A.

Turnbull, L. G.—An improved interferometer for determining parallelism errors in long end-gauges, 242.

Van Cleave, A. B. and Eager, R. L.—The stability of cyanogen chloride, 284.

Weatherburn, M. W.—See Bayley, C. H.; Hopkins, J. W.

White, W. H.—A laboratory shaker, 236.
See Lips, H. J.

Wright, G. F—See Pritchard, E. J.

SECTION F

INDEX TO VOLUME 25

Subjects

***Aerobacillus* fermentation,** See under 2,3-Butanediol.

Aerobic conditions, Effect of, on *Aerobacillus* fermentation, See under 2,3-Butanediol.

Ammonium compounds, Quaternary, Studies comparing sanitizing efficiencies of hypochlorites and, 76.

Antiknocks, Effect of, on the rapid oxidation of fuel vapor at high temperatures, A reaction chamber adapted to determine, 326.

Antimony trichloride–ethanol precipitation for the fluorometric determination of riboflavin in pork, 133.

Bacon, Saltiness of, See Palatability.

Bacteria

Further observations on the occurrence of *Salmonella* organisms in Canadian dried whole egg powder, 291.

Influence of the inoculum on the *Aerobacillus polymyxa* fermentation, See under 2,3-Butanediol.

Occurrence and distribution of *Salmonella* in fowl, II. Studies of artificial *S. bareilly* and *S. oranienburg* infections in hens, 316.

Psychrophylic, Characteristics of some, 280.

The effect of aerobic conditions on the *Aerobacillus* fermentation, See under 2,3-Butanediol.

Bags, Construction of, See Packaging.

Biscuits, Ration, IV. Effect of temperature and shortening type on keeping quality, 51.

Breaking strength of textiles, Precision of laboratory measurements of, 264.

Bulk-density, High, Production of nitroguanidine with, 257.

2,3-Butanediol, Production and properties of,

XX. Influence of the inoculum on the *Aerobacillus polymyxa* fermentation, 180.

XXII. The effect of aerobic conditions on the *Aerobacillus* fermentation, 273.

Butt-welding of fine wires, Apparatus for 221.

Canadian dried whole egg powder, Further observations on the occurrence of *Salmonella* organisms in, 291.

Canadian lard, Characteristics of, 63.

Canned meat, See Meat.

Color of dried whole egg powder, Some factors affecting, 149.

Comparator, Large cylinder and taper, For gauge measurement, 238.

Containers, Fibreboard, Waterproofing of, 128.

Cooking method, Effect of, on the moisture content of canned pre-cooked poultry meat, 22.

Cotton

Natural, Dyeing of, with direct dyes: A determination of the heat of dyeing, 303.

tentage duck, Effect of weathering on various rotproofing treatments applied to, 92.

Counters, Geiger-Müller, Portable, 226.

Cyanogen chloride, Stability of, 284.

Cylinder, Large, and taper comparator for gauge measurement, 238.

Density, Bulk-, High, Production of nitroguanidine with, 257.

Detonation, oxidation, and ignition of fuel vapors and gases. I. A reaction chamber adapted to determine the effect of antiknocks on the rapid oxidation of fuel vapor at high temperatures, 326.

Dried milk powder, See Milk powder, Dried.

Dried whole egg powder, See Egg powder, Dried whole.

Drill for determining the thickness of ice, 196.

Drying, Flash, In relation to hulling of sunflowerseed and oats, 119.

Duck, See under Cotton.

Dyeing of natural cotton with direct dyes: A determination of the heat of dyeing, 303.

Egg powder, Dried Whole

XXIV. Some factors affecting color, 149.

XXV. Further studies on the effect of added substances, 160.

XXVI. Some observations on the quality of powder prepared from frozen, liquid egg, 173.

XXVII. Further observations on the occurrence of *Salmonella* organisms in Canadian powder, 291.

Eggs, Preservation of,

V. Methods for determining yolk index, 18.

VI. Effect of various oils and oiling temperatures on the keeping quality of shell eggs stored at 70° F. and 30° F., 141.

End-gauges, Long, An improved interferometer for determining parallelism errors in, 242.

Equilibria, Hygroscopic, See Hygroscopic equilibria.

Errors, Parallelism, An improved interferometer for determining, in long end-gauges, 242.

Ethanol – antimony trichloride precipitation for the fluorometric determination of riboflavin in pork, 133.

Extraction, Solvent, of crude mustard gas, 198.

Fermentation, See under 2,3-Butanediol.

Fibreboard containers, Waterproofing of, 128.

Flavor reversion in hydrogenated linseed oil

III. Relation of iso-linoleic acid to flavor deterioration, 34.

IV. Further processing studies, 44.

Fluorometric determination of riboflavin in pork, Antimony trichloride – ethanol precipitation for, 133.

Foodstuffs, Precision of assessment of palatability of, by laboratory panels, II. Saltiness of bacon, 29.

Fowl

Occurrence and distribution of *Salmonella* types in, II. Studies of artificial *S. bareilly* and *S. orianienburg* infections in hens, 316.

See Poultry meat.

Friction of heated sleigh runners on ice, 192.

Frozen egg, See Egg powder, Dried whole.

Fuel vapor, A reaction chamber adapted to determine the effect of antiknocks on the rapid oxidation of, at high temperatures, 326.

Gases, See Fuel vapor; Mustard gas.

Gauge(s)

Long end-, Improved interferometer for determining parallelism errors in, 242.

measurement, Large cylinder and taper comparator for, 238.

Geiger-Müller counters, Portable, 226.

Grease resistance of some common packaging materials, 1.

Heat

of dyeing, Determination of, in the dyeing of natural cotton with direct dyes, 303.

separator, Hilsch, Quantitative study of, 299.

Hens, See under Fowl.

Hilsch heat separator, See under Heat.

Hulling of sunflowerseed and oats, Flash drying in relation to, 119.

Hulls and kernels of sunflowerseed and oats, Hygroscopic equilibria for, 111.

Hydrogenated linseed oil, Flavor reversion in,

III. Relation of iso-linoleic acid to flavor deterioration, 34.

IV. Further processing studies, 44.

Hygroscopic equilibria for hulls and kernels of sunflowerseed and oats, 111.

Hypochlorites, Studies comparing sanitizing efficiencies of quaternary ammonium compounds and, 76.

Ice

Drill for determining thickness of, 196.

Friction of heated sleigh runners on, 192.

Ignition, oxidation, and detonation of fuel vapors and gases. I. A reaction chamber adapted to determine the effect of antiknocks on the rapid oxidation of fuel vapor at high temperatures, 326.

Index, Yolk, Methods for determining, 18.

Interferometer, Improved, for determining parallelism errors in long end-gauges, 242.

Iso-linoleic acid, Relation of, to flavor deterioration of hydrogenated linseed oil, 34.

Keeping quality
of dried milk powder, Effect of season of production on, 13.
of ration biscuits, Effect of temperature and shortening type on, 51.
of shell eggs stored at 70° F. and 30° F., Effect of various oils and oiling temperatures on, 141.
See Quality.

Kernels and hulls of sunflowerseed and oats, Hygroscopic equilibria for, 111.

Laboratory measurements of breaking strength of textiles, Precision of, 264.

Laboratory panels, Precision of assessment of palatability of foodstuffs by means of, II. Saltiness of bacon, 29.

Laboratory shaker, 236.

Lard, Canadian, Characteristics of, 63.

Linoleic acid, Iso-, Relation of, to flavor deterioration of hydrogenated linseed oil, 34.

Linseed oil, Hydrogenated, Flavor reversion in,
III. Relation of iso-linoleic acid to flavor deterioration, 34.
IV. Further processing studies, 44.

Liquid egg, See Egg powder

Measurements, Laboratory, of breaking strength of textiles, Precision of, 264.

Meat, Poultry, Canned pre-cooked, Effect of method of cooking on moisture content of, 22.

Metallic naphthenates, See Naphthenates.

Milk powder, Dried, VII. Effect of season of production on keeping quality, 13.

Moisture content of canned pre-cooked poultry meat, Effect of method of cooking on, 22.

Mustard gas, Crude, Solvent extraction of, 198.

Naphthenates, Metallic, Rotproofing efficacy of mixtures of, 209.

Nitroguanidine with high bulk-density, Production of, 257.

Oats and sunflowerseed,
Flash drying in relation to hulling of, 119.
Hygroscopic equilibria for hulls and kernels of, 111.

Oil(s)
and oiling temperatures, Various, Effect of, on the keeping quality of shell eggs stored at 70° F. and 30° F., 141.
Linseed, See Linseed oil.

Oxidation, ignition, and detonation of fuel vapors and gases. I. A reaction chamber adapted to determine the effect of antiknocks on the rapid oxidation of fuel vapor at high temperatures, 326.

Packaging,
V. Grease resistance of some common packaging materials, 1.
VI. Relative merits of various types of bag construction in producing water-vapor resistant packages, 8.
VII. Waterproofing of fibreboard containers, 128.

Palatability of foodstuffs, Precision of assessment of, by laboratory panels, II. Saltiness of bacon, 29.

Panels, Laboratory, Precision of assessment of palatability of foodstuffs by means of, II. Saltiness of bacon, 29.

Parallelism errors in long end-gauges, An improved interferometer for determining, 242.

Pork, Fluorometric determination of riboflavin in, Antimony trichloride – ethanol precipitation for, 133.

Poultry meat, Canned pre-cooked, Effect of method of cooking on moisture content of, 22.

Powder, See Egg powder; Milk powder.

Precision of laboratory measurements of breaking strength of textiles, 264.

Pre-cooked canned poultry meat, See Poultry meat.

Preservation of eggs, See Eggs, Preservation of.

Processing studies, Further, in the flavor reversion in hydrogenated linseed oil, IV. 44.

Psychrophylic bacteria, Characteristics of some, 280.

Quality
of dried whole egg powder prepared from frozen, liquid egg, 173.
See Keeping quality.

Quaternary ammonium compounds,
Studies comparing sanitizing efficiencies of hypochlorites and, 76.

Ration biscuits, IV. Effect of temperature and shortening type on keeping quality, 51.

Riboflavin in pork, Fluorometric determination of, Antimony trichloride – ethanol precipitation for, 133.

Rotproofing
efficacy of mixtures of metallic naphthenates, 209.
treatments applied to cotton tentage duck, Effect of weathering on, 92.

Salmonella
Occurrence and distribution of types of, in fowl, II. Studies of artificial *S. bareilly* and *S. oranienburg* infections in hens, 316.
Occurrence of, in Canadian dried whole egg powder, 291.

Saltiness of bacon, Precision of assessment of palatability of foodstuffs by laboratory panels, II, 29.

Sanitizing efficiencies of hypochlorites and quaternary ammonium compounds, Studies comparing, 76.

Season of production, Effect of, on keeping quality of dried milk powder, 13.

Shaker, Laboratory, 236.

Shell eggs, See Eggs, Preservation of.

Shortening, Effect of type of, on keeping quality of ration biscuits, 51.

Sleigh runners, Heated, Friction of, on ice, 192.

Solvent extraction of crude mustard gas, 198.

Sunflowerseed and oats
Flash drying in relation to hulling of, 119.
Hygroscopic equilibria for hulls and kernels of, 111.

Taper and large cylinder comparator for gauge measurement, 238.

Temperature
Effect of antiknocks on the rapid oxidation of fuel vapors at high temperatures, A reaction chamber adapted to determine, 236.
Effect of, on keeping quality of ration biscuits, 51.
Effect of various oils and oiling temperatures on the keeping quality of shell eggs stored at 70° F. and 30° F., 141.

Tentage duck, Cotton, Effect of weathering on various rotproofing treatments applied to, 92.

Textiles, Breaking strength of, Precision of laboratory measurements of, 264.

Thickness of ice, Drill for determining, 196.

Vapor, See Fuel vapor; Water vapor resistant packages.

Waterproofing of fibreboard containers, 128.

Water-vapor resistant packages, Relative merits of various types of bag construction in producing, 8.

Weathering, Effect of, on various rotproofing treatments applied to cotton tentage duck, 92.

Welding, Butt-, of fine wires, Apparatus for, 221.

Wires, Fine, Apparatus for butt-welding of, 221.

Yolk, Egg, Methods for determining yolk index, 18.